

Specifications

Eaton 8STA0F1468PN499

Catalog Number: 8STA0F1468PN499

Aluminium oval flange receptacle, Nickel plating, with male contacts and M3 clinch nuts; 8STA0F1468PN499

General specifications



Product Name	Catalog Number
Eaton Souriau 8STA series lightweight miniature connector	8STA0F1468PN499
Product Length/Depth	33.5 mm
Product Height	38.4 mm
Product Width	27 mm
Product Weight	15.4 g

Product specifications

Resources

Fitted with:

Shielding

Environmental conditions

REACH

RoHS

Backshell type

Shrink Boot Adapter

Connector accessory option

Integrated with connector

Connector orientation

A

Connector type

Receptacle

Contact delivery

Unloaded

Contact gender

Pin (Male)

Contact plating

Gold

Contact type

Crimp

Coupling type

1/3 Bayonet

Degree of protection

IP67

Insert material

Peek

Layout

68

Plating

Nickel

Shell continuity

10.0

Shell material

Aluminium

Shell size	14
Mating cycles	500
Operating temperature - max	175 °C
Operating temperature - min	-55 °C
Receptacle type	Square Flange Receptacle
Number Of Contacts	68
Number of cavity #26	68
Salt spray	48 hour



Eaton Corporation plc
 Eaton House
 30 Pembroke Road
 Dublin 4, Ireland
 Eaton.com
 © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
 All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)