




---

 PRODUCT-DETAILS

## OS800L03P-84

# OS800L03P-84 FUSIBLE DISCONNECT SWITCH




---

**General Information**

|                       |                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | OS800L03P-84                                                                                                               |
| Product ID            | 1SCA162064R1001                                                                                                            |
| EAN                   | 6417019921334                                                                                                              |
| Catalog Description   | OS800L03P-84 FUSIBLE DISCONNECT SWITCH                                                                                     |
| Long Description      | Fusible disconnect switch, 3-poles, UL type L fuse, no fuse covers, no installation instruction, shaft and handle included |

---

**Circular Value**

|                                |                                                     |
|--------------------------------|-----------------------------------------------------|
| Group Waste to Landfill Target | UL 2799 Zero Waste To Landfill Validation available |
|--------------------------------|-----------------------------------------------------|

---

**Eco Transparency**

|                                         |                 |
|-----------------------------------------|-----------------|
| Environmental Product Declaration - EPD | 1SCC311202D0201 |
|-----------------------------------------|-----------------|

---

## Material Compliance

---

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                        |
| REACH Declaration                           | 1SCC011021D0201                                                        |
| RoHS Information                            | 1SCC011020D0201                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA         | 1SCC011025D0201                                                        |

---



---

## Ordering

---

|                        |              |
|------------------------|--------------|
| Minimum Order Quantity | 1 piece      |
| Customs Tariff Number  | 85365080     |
| Country of Origin      | Finland (FI) |

---



---

## Popular Downloads

---

|                                         |                                    |
|-----------------------------------------|------------------------------------|
| Data Sheet, Technical Information       | No documentation needed            |
| Instructions and Manuals                | No Instructions and Manuals needed |
| Environmental Product Declaration - EPD | 1SCC311202D0201                    |

---



---

## Dimensions

---

|                    |          |
|--------------------|----------|
| Product Net Weight | 14.33 kg |
|--------------------|----------|

---



---

## Technical

---

|                   |                                             |
|-------------------|---------------------------------------------|
| Power Loss        | at Rated Operating Conditions per Pole 75 W |
| Fuse Size         | 800 A                                       |
| Fuse System       | Class L                                     |
| Operating Mode    | Front Operated                              |
| Standards         | IEC 60947-3                                 |
| Mounting Type     | Base mounting                               |
| Terminal Type     | Lug terminals                               |
| Tightening Torque | 50 ... 75 N·m                               |

---



---

## Technical UL/CSA

---

|                   |               |
|-------------------|---------------|
| Ampere Rating     | 800 A         |
| Tightening Torque | 50 ... 75 N·m |

---



---

## Certificates and Declarations

---

|                                |                         |
|--------------------------------|-------------------------|
| A2L Certificate – IEC          | 1SCC311209D0201         |
| ATEX Certificate               | No certification needed |
| Declaration of Conformity - CE | 1SCC31112D2704          |

---

DNV GL Certificate

1SCC311131D0203

UL Certificate

No certification needed

---

### Container Information

---

Package Level 1 EAN

6417019921334

---

---

### Classifications

---

|                                    |                                                            |
|------------------------------------|------------------------------------------------------------|
| ETIM 8                             | EC001040 - Fuse switch disconnecter                        |
| ETIM 9                             | EC001040 - Fuse switch disconnecter                        |
| UNSPSC                             | 39122233                                                   |
| IDEA Granular Category Code (IGCC) | 5291 >> Fuse switch disconnecter                           |
| WEEE Category                      | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

---

### Categories

---

Low Voltage Products and Systems → Switches → Switch Fuses

