GDMR40-308 IPXT3 1/3



PRODUCT-DETAILS

## **GDMR40-308 IPXT3**

## Sub Distribution, 1300 mm x 800 mm x 300 mm, Isolated (Class II), IP54



GDMR40-308 IPXT3
1SKS508542C4319
6221115059422
Sub Distribution, 1300 mm x 800 mm x 300 mm, Isolated (Class II), IP54
ABB1SKS508542C4319, Sub Distribution, GDMR40-308 IPXT3

Technical	
Rated Current (In)	400 A
Number of Flange Openings	1
Number of Conduit Inlets	0
Cover Plate Type	Cover
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel

2/3 **GDMR40-308 IPXT3** 

Cover Style	with Notch
RAL Number	RAL 7035 - Light Grey
Color	Grey

Material Compliance	
RoHS Information	1SKC910043C0001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240129
REACH Declaration	1SKC910034C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP54
Protection Class	Isolated (Class II)

Dimensions	
Product Net Width	800 mm
Product Net Height	1300 mm
Product Net Depth / Length	300 mm
Built-In Depth (t <sub>2</sub> )	300 mm
Thickness	Cabinet Plate 2 mm Door Plate 1.5 mm

Certificates and Declarations	
Declaration of	1SKC100819C0001
Conformity - CE	

Installation	
Instructions and Manuals	No document needed

Popular Downloads	
Data Sheet, Technical	No document needed
Information	

Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope

GDMR40-308 IPXT3 3/3

 CN8
 85390139

 eClass
 V11.0:27142408

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow Mirage$ 

