

PRODUCT-DETAILS

GDMR40-306FA1

Sub Distribution, 1150 mm x 800 mm x 240 mm, Isolated (Class II), IP42



General Information	
Extended Product Type	GDMR40-306FA1
Product ID	1SKS706242C4310
EAN	6221115057176
Catalog Description	Sub Distribution, 1150 mm x 800 mm x 240 mm, Isolated (Class II), IP42
Long Description	ABB1SKS706242C4310, Sub Distribution, GDMR40-306FA1

Technical	
Rated Current (I _n)	400 A
Number of Flange Openings	2
Number of Conduit Inlets	0
Cover Plate Type	Cover
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel
Cover Style	with Notch
RAL Number	RAL 7035 - Light Grey

GDMR40-306FA1 2/3

Color	Grey
<u>colo.</u>	City
Material Compliance	
•	40//00400400000
RoHS Information	1SKC910043C0001
RoHS Date	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	20240129 1SKC910034C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP42
Protection Class	Isolated (Class II)
Dimensions	
Product Net Width	800 mm
Product Net Height	1150 mm
Product Net Depth / Length	240 mm
Built-In Depth (t ₂)	240 mm
Thickness	Cabinet Plate 2 mm Door Plate 1.5 mm
Certificates and Declarations	
Declaration of Conformity - CE	1SKC100819C0001
Installation Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	No document needed
Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
CN8	85390358
eClass	V11.0 : 27142408

GDMR40-306FA1 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow Mirage$

