



PRODUCT-DETAILS

TPHE120Y12BX24WF

Surge Protective Device



General Information	
Global Commercial Alias	TPHE120Y12BX24WF
Extended Product Type	TPHE120Y12BX24WF
Product ID	1TQD312120Y6213
Catalog Description	Surge Protective Device
Long Description	SPD.TPHE.Box Extension,208/120v 3P4W,125kA per mode

Technical	
Rated Voltage (U_r)	208 V AC
Voltage Protection Level (U_p)	1000 kV (N-PE) 1000 kV (L-N) 1500 kV
Maximum Continuous Operating Voltage (U_c)	(L-PE) 150 V
Rated Service Short-Circuit Breaking Capacity (I_{cs})	200 kA
Discharge Current	Nominal (8 / 20 μ s) 20 kA I (max, 8 / 20 μ s) 240 kA
Number of Protected Poles	6

Number of Conductors	6
Transmission Standard	Acoustic Optic
Mounting Type	Busbar

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	24.74 in 628.47 mm
Product Net Height	21.5 in 546.10 mm
Product Net Depth / Length	6.33 in 160.86 mm
Product Net Weight	57 lb 25.9 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	65 lb 29.48 kg
Replacement Product ID (NEW)	No replacement

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107680A9460
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9391
-----------------------------------	-----------------

Classifications

ETIM 8	EC000941 - Surge protection device for power supply systems
ETIM 9	EC000941 - Surge protection device for power supply systems
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121610
eClass	V11.0 : 27130805
IDEA Granular Category Code (IGCC)	4906 >> Surge suppressers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Surge Protective Device → Integral

