AF55SJ 1/3



PRODUCT-DETAILS

AF55SJ

Front



General Information		
Global Commercial Alias	AF55SJ	
Extended Product Type	AF55SJ	
Product ID	1TQR355106N0000	
EAN	not available	
Catalog Description	Front	
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.	

Dimensions		
Product Net Width	20.000 in	
Product Net Height	55.500 in	
Product Net Depth / Length	0.100 in	
Product Net Weight	35.000 lb	

AF55SJ 2/3

box 1 piece
46.050 lb

Certificates and Declarations

Declaration of No declaration needed Conformity - CE

Installation

Instructions and No document needed Manuals

Popular Downloads

Data Sheet, Technical No document needed Information

Classifications

WEEE Category	Product Not in WEEE Scope
UNSPSC	39121321
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Lighting\ Panels\ \&\ Breakers \rightarrow ReliaGear\ Lighting\ Panels$

AF55SJ 3/3

