5598G-A02349 S1 1/3



PRODUCT-DETAILS

## 5598G-A02349 S1 Socket Outlets Without imprint grey - Swing



General Information	
Extended Product Type	5598G-A02349 S1
Product ID	2CHG952349C4527
EAN	8595090528401
Catalog Description	Socket Outlets Without imprint grey - Swing
Long Description	Optical fault signalling. Screw-type terminals. Fixation via screws only. 16 A, 230 V AC
Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw
Environmental	
Degree of Protection	IP40

5598G-A02349 S1 2/3

Data Sheet, Technical Information	No document needed
Number of Phases	1
Number of Active Pin Terminals	2
Number of Gangs	
Connection Type	Screw
Socket Outlet Type	Power Socket Outlets - French acc. to NF C 61-314
Battery Weight	0 g
Number of Batteries	0
Electrical	
Short-Circuit Current Rating (SCCR)	0 A
Rated Voltage (U <sub>r</sub> )	230 V
Rated Current (I <sub>n</sub> )	16 A
Frequency (f)	5050 Hz
riequency (I)	3030 HZ
Design	
Design Range	Swing
Surface Finishing	Untreated
	Glossy
Material	Plastic
Laurad	Thermoplastic
Legend	Without imprint No
Label Space Provided Color	grey
Color	<u> </u>
Dimensions	
Product Net Weight	75 g
Built-In Depth (t <sub>2</sub> )	40 mm
Ordering	
Replaced Product ID (OLD)	5598G-A02349 S1
(OLD)	
Material Compliance	
RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Certificates and Declarations	
Declaration of Conformity	No declaration needed
- CE	

5598G-A02349 S1 3/3

Classifications	
ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Wiring\ Accessories\ -\ Light\ Switch\ Ranges\ \to\ Cover\ Plates\ and\ Control\ Elements\ \to\ Socket\ Outlets$ 

