

PRODUCT-DETAILS

## SBR-F-6.0.11-884

## SBR-F-6.0.11-884 RTC, 6gang, white matt



Extended Product Type	SBR-F-6.0.11-884
Product ID	2CKA006220A0894
EAN	4011395314852
Catalog Description	SBR-F-6.0.11-884 RTC, 6gang, white mat
Long Description	Control element with room temperature controller function. For controlling commercially available actuating drives in combination with free@home Heating-/Fa -Coil Actuators. With display of set-value and current temperature. For transmitting switching, push-button, dimming and blind commands to an ABB-free@home@ actuator. With integrated bus coupler. With labelling field. Number of bus subscribers

Installation		
Instructions and Manuals	2CKA000073B5345	
Mounting Type	Flush Mounted Surface Mounted	

Environmental	
Ambient Air	Operation -5 +45 °C
Temperature	
Degree of Protection	IP20
Temperature Class	
Default	

Technical	
Number of LEDs	6
Compatible Bus Systems	free@home (TP)
Product Range	free@home ABB Tenton®

Design	
Design Range	ABB Tenton®
Surface Finishing	Lacquered Matt
Material	Thermoplastic
RAL Number	Similar to RAL 9016
Color	studio white matt

Dimensions	
Product Net Width	90.1 mm
Product Net Height	117.1 mm
Product Net Depth / Length	44.2 mm
Product Net Weight	123 g
Built-In Depth (t <sub>2</sub> )	30.7 mm

## Material Compliance

-	
RoHS Information	2CKA100000E4702
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240705
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Declaration of		2CKA100000E4702
Conformity - CE		

ETIM 9 eClass		EC001101 - Room temperature controller for bus system
		V11.0 : 27143133

© 2024 ABB. All rights reserved.

2024/10/17

Subject to change without notice

## Categories

 $\label{eq:low-Voltage-Products-and-Systems-building-and-Home-Automation-Solutions-free@home-User-Operation-o-6-fold-Low-Voltage-Products-and-Systems-building-and-Home-Automation-Solutions-free@home-User-Operation-Solutions-free@home-User-Operation-Solutions-free@home-User-Operation-Solutions-S$ 





