



 PRODUCT-DETAILS

6702

WaveLine Switch Actuator Wireless with ON/OFF switching, timer and light scene control WaveLINE 230 V



General Information

Extended Product Type	6702
Product ID	2CKA006700A0027
EAN	4011395150115
Catalog Description	WaveLine Switch Actuator Wireless with ON/OFF switching, timer and light scene control WaveLINE 230 V
Long Description	For wireless switching of electrical loads. For functions ON/OFF, timer and lightscene control. For wall mounted transmitter Waveline 6731-xxx, 6732-xxx und 6733-xxx. For remote control WaveLINE 6780. Switch-off delay: Adjustable between 10 s to 5 min. Repeater function can be activated for extended range. For universal attachment or installation. 3 wire connection (neutral conductor required). For installation in (deep) flush-mounted boxes to German Standard DIN 49073. Controllable up to 32 transmission addresses. Send/receive frequency: 868 MHz. Free-field range: approx. 100 m.

Installation

Instructions and Manuals	2CKA000073B7535
Mounting Type	Flush Mounted
Type of Fastening	Clamp

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	No document needed
Number of Outputs	1
Number of Relays	1
Number of Commands	3
Compatible Bus Systems	WaveLINE
Product Range	WaveLINE
Transmission Standard	Wireless
Options Provided	ON/OFF switching, timer and light scene control

Electrical

Current Type	230 V AC
Rated Voltage (U _r)	230 V
Rated Current (I _n)	10 A
Rated Frequency (f)	50 Hz
Load Type	Ohmic load

Design

Surface Finishing	Untreated Matt
Material	Thermoplastic
Color	studio white

Dimensions

Product Net Width	48.3 mm
Product Net Height	47.3 mm
Product Net Depth / Length	22.4 mm
Product Net Weight	53 g
Built-In Depth (t ₂)	25 mm

Material Compliance

RoHS Information	2CKA200000E6185
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20230825
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E1769
--------------------------------	-----------------

Classifications


ETIM 9	EC000436 - Radio receiver
eClass	V11.0 : 27144202
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CKA006700A0028	WaveLine Switch Actuator Wireless with ON/OFF / venetian blind switching and lightscene control WaveLINE 230 V	6703	1	piece
2CKA006700A0029	WaveLine Universal dimming actuator Wireless with ON/OFF switching, dimming and lightscene control WaveLINE 230 V	6704	1	piece

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts





360