




---

 PRODUCT-DETAILS

# 83101/1-664

## Welcome, 1 button(s), studio white matt




---

**General Information**

Extended Product Type	83101/1-664
Product ID	2CKA008300A0007
EAN	4011395154465
Catalog Description	Welcome, 1 button(s), studio white matt
Long Description	Communication unit and key module are backlit. Stamped labelling foil is enclosed. Mounting tool is enclosed. For flush-mounted installation with 41382F-B-03 / 41382F-H-03. For surface-mounted installation with 41382S-B-03 / 41382S-H-03. Consumer units: 5

---

**Installation**

Instructions and Manuals	DEBJE-83101_1_2_3-DinA4-Online de
Installation Instruction	Bus system
Mounting Type	Miscellaneous

---

**Environmental**

Ambient Air Temperature	Operation -25 ... +55 °C
Degree of Protection	IP44

---

## Technical

---

Data Sheet, Technical Information	2CKA000001A1572
Number of Buttons	1
Compatible Bus Systems	Welcome
Product Range	Welcome
Battery Weight	0 g
Number of Batteries	0

---



---

## Design

---

Button Material	Plastic
Color	studio white matt

---



---

## Dimensions

---

Product Net Width	180 mm
Product Net Height	75 mm
Product Net Depth / Length	255 mm
Product Net Weight	954 g

---



---

## Material Compliance

---

RoHS Information	2CKA200000E6765
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---



---

## Certificates and Declarations

---

Declaration of Conformity - CE	2CKA100000E2190
--------------------------------	-----------------

---



---

## Classifications

---

ETIM 9	EC001351 - Push button panel door communication
eClass	V11.0 : 27144309
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

---

## Categories

---

Low Voltage Products and Systems → Building and Home Automation Solutions → Door Entry & Access Control Systems → Welcome → Outdoor Stations

