



PRODUCT-DETAILS

TM10/24 Fail safe bell transformer



General Information	
Extended Product Type	TM10/24
Product ID	2CSM228725R0802
EAN	8012542287254
Catalog Description	Fail safe bell transformer
Long Description	These transformers, with safety extremely-low voltage secondary (SELV), are suitable for driving loads that call for a discontinuous supply.

Technical	
Standards	IEC/EN 61558-2-8
Application	Residential
Primary Voltage	230 V
Secondary Voltage	(5-6) & (6-7) 12 V AC (5-7) 24 V AC
Secondary Current	0.42 A
Output Current Maximum (I _{out})	0.83 A
Rated Frequency (f)	50/60 Hz
Power Loss	2.5 W
Power Supply	10 V·A

© 2024 ABB. All rights reserved.

Subject to change without notice

Rated Output Power	10 W
Insulation Class	<u> </u>
Tightening Torque	0.5 N·m
Transformer Type	Fail - Safe Bell Transformers
Options Provided	None
Remarks	Suitable for loads that require a discontinuous supply. Double insulation between primary and secondary windings
Connecting Capacity	2.5 mm ²
Wire Stripping Length	9 mm

Material Compliance	
RoHS Information	2CSC446004K020
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendmen
RoHS Date	25/06/2009 0.00.00
REACH Declaration	9AKK108467A9482
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air Temperature	Operation +10 +40 °C
Degree of Protection	IP20
Technical UL/CSA	
Connecting Capacity UL/CSA	14 AWG
Dimensions	
Width in Number of Modular Spacings	2
Product Net Width	35 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.065 m
Product Net Weight	0.300 kg
Ordering	
Package Level 1 Units	box 6 piece
Package Level 1 Gross Weight	2.1 kg
E-Number (Norway)	5469051
Certificates and Declarations	
Declaration of Conformity - CE	2CSC446004K0201
INO O HE	9AKK107992A6756
IMQ Certificate	34010/33240/30

© 2024 ABB. All rights reserved.

Subject to change without notice

Installation	
Instructions and Manuals	No document needed
Wiring Diagram	9AKK108467A7352

Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329
Classifications	
ETIM 8	EC001547 - Bell transformer
ETIM 9	EC001547 - Bell transformer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27031190

Categories

Object Classification Code

 $\label{eq:low-voltage-roducts} Low \ Voltage \ Products \ and \ Systems \ \rightarrow \ Modular \ DIN \ Rail \ Products \ \rightarrow \ Command \ and \ Signalling \ Devices \ \rightarrow \ Bells \ and \ Safety \ Transformers$









3605

Т