

PRODUCT-DETAILS

# AUS74 Renovation box White IP3X



General Information	
Extended Product Type	AUS74
Product ID	2TKA00002896
EAN	6438199004570
Catalog Description	AUS74 Renovation box White IP3X
Long Description	The AUS74 is a front-mounted mounting box with telescope bottom part for board walls of 1 – 3 gypsum boards ( thickness of the wall 9 – 39 mm ). The height of the box is 54 – 70 mm thanks to the moving bottom part. The installation hole diameter is 73 74 mm (box drill AT4). At the side of the bottom part are three inlets for the 16 mm flexi pipe. There is also one inlet for the 16/20 mm and one inlet for the 20 mm flexi pipe. There are two inlets with strain reliefs on the bottom of the box for installing 8 13 mm cables and two inlets for the low voltage cables. Box combinations can be made both horizontal and vertical directions without any extra parts. The box has four openings, one on each side, through which conductors can also be conveyed from one box to another. At the top of the box there are two fixing places for screws to install it to the log wall. At the bottom there are marking holes for making box combinations (c/c 71 mm). The protection class is IP3X. Made of halogen free material (IEC/61249-2- 21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C)_x000D_

## **ABB EcoSolutions**

© 2024 ABB. All rights reserved.

2024/10/19

Subject to change without notice

#### Environmental Product Declaration - EPD

Technical	
Application	None
Model Number	Single
Number of Poles	0
Number of Conduit Inlets	0
Number of Gangs	1
Number of Inlet Inserts Included	0
Design	Device connection box (round/square)
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Round
Surface Finishing	Untreated
Material	Plastic, Thermoplastic
Includes	None
Color	White

Material Compliance	
RoHS Information	9AKK106713A4634
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240314
REACH Declaration	9AKK106713A4633
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240314
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	0f48dbcd-f68b-4096-98c7-6fd7eb0a1c41 Finland (FI)

Degree of Protection	IP3)
Environmental Information	9AKK107680A2918
Dimensions	
Product Net Width	0.073 n
Product Net Height	0.055 n
Product Net Depth / Length	73 mn
	0.0388 ko

# Ordering

Package Level 1 Units

© 2024 ABB. All rights reserved.

Subject to change without notice

box 60 piece

Package Level 1 Gross Weight	2.658 kg
E-Number (Norway)	1220030
E-Number (Sweden)	1420079

<b>Certificates and Declarations</b>	
Declaration of Conformity - CE	9AKK108467A7115
Installation	
Instructions and Manuals	9AKK10103A2549
Denular Denula de	
Data Sheet, Technical	9AKK10103A2549
Data Sheet, Technical Information	9AKK10103A2549
Data Sheet, Technical Information	
Popular Downloads Data Sheet, Technical Information Classifications ETIM 8 ETIM 9	9AKK10103A2549 EC002601 - Box/housing for built-in mounting in the wall/ceiling EC002601 - Box/housing for built-in mounting in the wall/ceiling

## Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Materials  $\rightarrow$  Flush Mounted Boxes  $\rightarrow$  Plastic Installation Boxes (for WA Inserts)  $\rightarrow$  Hollow Wall



© 2024 ABB. All rights reserved.

2024/10/19

Subject to change without notice