



PRODUCT-DETAILS

UPS Powerscale 33 15kVA Cab.B 30 min

UPS Powerscale 33 15kVA Cab.B 30 min



General Information

Extended Product Type	UPS Powerscale 33 15kVA Cab.B 30 min
Product ID	4NWP103584B1530
EAN	7640169261534
Catalog Description	UPS Powerscale 33 15kVA Cab.B 30 min
Long Description	VFI online double conversion,400V,13500W,RS232,USB,COM slot,includes 2x46x8Ah batteries mounted linked and tested

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	4NWD005611
RoHS Information	4NWD005610

Popular Downloads

Data Sheet, Technical Information	4NWD003515
Instructions and Manuals	04-3004

Environmental

Environmental Information	No declaration needed
---------------------------	-----------------------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044000
E-Number (Finland)	8408588
E-Number (Norway)	6600728
Country of Origin	Italy (IT)

Dimensions

Product Net Width	345 mm
Product Net Height	1045 mm
Product Net Depth / Length	710 mm
Product Net Weight	298 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	450 mm
Package Level 1 Height	1240 mm
Package Level 1 Depth / Length	800 mm
Package Level 1 Gross Weight	310 kg
Package Level 1 EAN	7640169261534

Technical

Apparent Power Output	15 V·A
Battery Chemical Composition	Lead-Acid
Battery Type	Portable
Battery Weight	2.5 kg
Communication Interface	USB, RS-232
Connection Type	Fixed Connection
Input Voltage (U_{in})	380 V 400 V 415 V
Input Voltage Type	AC
Number of Batteries	92
Number of Outputs	Fixed Connections 1
Number of Phases	Primary - 3 Secondary - 3
Options Provided	Auto shut down function Potential free switch contact Network-management
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	13.5 kW

Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - CE	4NWD003874

Classifications

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85044000
Object Classification Code	G

Categories

UPS, Power Conditioning and Power Distribution → UPS → Three-Phase Standalone UPS → PowerScale 33 IEC 400V

