



 PRODUCT-DETAILS

JMXM18522T

Explosion Proof General Purpos 3 Hp 190 V (JMXM18522T)



General Information

Global Commercial Alias	JMXM18522T
Product ID	7BJMXM18522T
ABB Type Designation	5//3HP,3470//2870RPM,3PH,60//50HZ,1
Catalog Description	Explosion Proof General Purpos 3 Hp 190 V (JMXM18522T)

Ordering

ABB Type Designation	5//3HP,3470//2870RPM,3PH,60//50HZ,1
Invoice Description	5//3HP,3470//2870RPM,3PH,60//50HZ,184JM
Product Name	Explosion Proof General Purpos
Product Type	Undefined
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	United States (US)
Customs Tariff Number	85015220
Stocked At	China

(Warehouses)

Alabama, United States
Alaska, United States

Medium Description	Explosion Proof General Purpos, 5//3 HP, 3600//3000 RPM, Frame Size 184Jm, C-Face Mounting, 3 Phase, XPFC Enclosure, 230/460//190/38
Short Description	5//3 HP, 3600//3000 RPM, Frame Size 184Jm, C-Face, 3 PH, XPFC, 230/460//190/380 V

Electrical

Electrical Data

Current	Freq	Power	Speed	Voltage
8.4 A	50 Hz	3 Hp	3470 r/min	190 V
4.2 A	50 Hz	3 Hp	3470 r/min	380 V
11.2 A	60 Hz	5 Hp	3470 r/min	230 V
5.6 A	60 Hz	5 Hp	3470 r/min	460 V

Frequency (f)	50 Hz 60 Hz
Output Power	3 Hp 5 Hp
Ambient Temperature	40 °C
Insulation Class	F
Number of Poles (High)	2
Type of Duty	Continuous

Mechanical

Frame Material	Steel
Frame Size	184

Dimensions

Product Net Depth / Length	26.625 in
Product Net Height	16.25 in
Product Net Width	16.625 in
Product Net Weight	91 lb
Gross Weight	91 lb

Classifications

Standards	NEMA
-----------	------

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Explosion Proof Motors → Explosion Proof General Purpose Motors

