



 PRODUCT-DETAILS

BB406TMV

SINGLE LOCK BLACK 1XPG16-1/2



General Information

| | |
|-----------------------|---------------------------------------------------------------------------------------------|
| Extended Product Type | BB406TMV |
| Product ID | 7TAA080030R0080 |
| Catalog Description | SINGLE LOCK BLACK 1XPG16-1/2 |
| Long Description | Single lever locking base, 6 contacts with ground connection, NPT entry - 1 Inch x 1/2 Inch |

Ordering

| | |
|-------------------------|--------------|
| UPC | 786209999696 |
| Country of Origin | Germany (DE) |
| Selling Unit of Measure | each |

Container Information

| | |
|------------------------|------------------|
| Package Level 1 Units | 10 EA |
| Package Level 1 Width | 101.6 mm 4 in |
| Package Level 1 Height | 101.6 mm |

| | |
|--------------------------------|----------|
| | 4 in |
| Package Level 1 Depth / Length | 152.4 mm |
| | 6 in |

Additional Information

| | |
|-------------------|--------------------------------------------------|
| Brand / Label | Pos-E-Kon |
| Effective Date | 20121112 |
| Material | Copper-Free Die-Cast Aluminum Alloy |
| Product Name | HTS expired or not a valid HTS Number for Canada |
| Product Type | Box Base |
| Surface Finishing | Epoxy Powder Coated |
| Temperature Range | -40 to +392 °F |

Certificates and Declarations

| | |
|-----------------------------------|----------|
| Data Sheet, Technical Information | BB406TMV |
|-----------------------------------|----------|

Classifications

| | |
|------------------------------------|-----------------------------------------------|
| ETIM 6 | EC000437 - Housing for industrial connectors |
| ETIM 7 | EC000437 - Housing for rectangular connectors |
| ETIM 8 | EC000437 - Housing for rectangular connectors |
| UNSPSC | 39121424 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 4594 >> Terminal block covers |

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Pin & Sleeve Connectors

