



 PRODUCT-DETAILS

EXH150A1295

FLEX, CON. 4 HOLES 1500AMP 295MM



Product image
not available

General Information

Extended Product Type	EXH150A1295
Product ID	7TAA140300R0121
Catalog Description	FLEX, CON. 4 HOLES 1500AMP 295MM
Long Description	Tinned Copper, Extra Flexible Braid Connector, EXH Series, 4-Hole Pads with NEMA Standard 9/16 inch (14.3 mm) Holes and 1-3/4 inch (44.4 mm) Spacing Center to Center, 11.61 inch (295 mm) long, 3 inch (76 mm) wide, 11/32 inch (8.7 mm) thick. Pad 3 inch x 3 inch. 6 Braids in Assembly. 36 AWG Individual Strand.

Ordering

UPC	75114397094
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	136.398 mm

	5.37 in
Package Level 1 Height	133.35 mm
	5.25 in
Package Level 1 Depth / Length	609.6 mm
	24 in

Additional Information

Application	Suitable wherever it is necessary to take up expansion, severe vibration and/or misalignment when connecting Transformers, Switchgear, Generators or Busbars.
Brand / Label	Boreal
Cable Length	11.61 in 295 mm
Conductor Category	Very Flexible
Conductor Shape	Flat
Effective Date	20190313
Material of Conductor	Tin-Plated Copper
Product Name	Fitted with fittings or made up into art icles
Product Type	Extra Flexible Braid Connector - 4-Hole
Standards	IEEE/ANSI C37.34

Certificates and Declarations

Data Sheet, Technical Information	EXH150A1295
-----------------------------------	-------------

Classifications

ETIM 6	EC000839 - Braid wire
ETIM 7	EC000839 - Braid wire
ETIM 8	EC000839 - Braid wire
UNSPSC	39121465
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4695 >> Flexible braid

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors



Product image
not available