




---

 PRODUCT-DETAILS

# F4-PS-W

## NON-INS PRL SPLICE, 4, CMA 33,100-5




---

**General Information**

Extended Product Type	F4-PS-W
Product ID	7TAI029090R0000
EAN	5415022444605
Catalog Description	NON-INS PRL SPLICE, 4, CMA 33,100-5
Long Description	Non-Insulated Parallel Splice Connector For Wire Range 4 For Circular Mil Range 33,100-52,600 Length .531 Diameter .41,Metallic

---

**Ordering**

EAN	5415022444605
UPC	786210890821
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

---

**Container Information**

Package Level 1 Units	250 EA
-----------------------	--------

Package Level 1 Width	114.3 mm 4.5 in
Package Level 1 Height	76.2 mm 3 in
Package Level 1 Depth / Length	127 mm 5 in
Package Level 2 Units	2500 EA
Package Level 2 Width	279.4 mm 11 in
Package Level 2 Height	88.9 mm 3.5 in
Package Level 2 Depth / Length	609.6 mm 24 in

## Additional Information

Brand / Label	Sta-Kon
Color	Metallic
Effective Date	20040115
Insulation Material	None
Material	Copper
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	Non-Insulated Parallel Splice
Special Functions	Resistant to corrosion and preserve the electrical integrity of the wires in single or multiple strands. Feature an intelligent constructable part number for quick identification of the wire range.
Standards	UL E9809
Surface Finishing	Tin Plated
Voltage Rating	600 V

## Certificates and Declarations

Data Sheet, Technical Information	F4-PS-W
-----------------------------------	---------

## Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
ETIM 8	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

