



 PRODUCT-DETAILS

ISRM25-15

TRAY/CORD AL FTG-M25 - 10.79-15.75



General Information

Extended Product Type	ISRM25-15
Product ID	7TBA297190R0018
EAN	5011949241398
Catalog Description	TRAY/CORD AL FTG-M25 - 10.79-15.75
Long Description	Industrial Strain-Relief Fitting, Hub Size M25, Cable Range 10.79 to 15.75mm, CSA Listed, Outer Diameter 41.28mm, Aluminum

Additional Information

Application	Connection and Strain Relief for Conduit Systems
Product Type	Industrial Strain Relief Fitting

Ordering

EAN	5011949241398
UPC	786210202891

Technical

Number of Batteries	0
Color	Metallic
Material	Aluminum
Size	M25

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	20 EA
Package Level 1 Height	130.302 mm 5.13 in
Package Level 1 Depth / Length	230.124 mm 9.06 in
Package Level 1 Width	166.624 mm 6.56 in

Certificates and Declarations

Data Sheet, Technical Information	TDS000027
Instructions and Manuals	ISRM25-15
Declaration of Conformity - CE	9AKK107680A1795

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121719

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

