



PRODUCT-DETAILS

FIRD2.5-39VDC

VINYL-INDCFULL 1.5-2.5 RECEPT 3.9MM



General Information

Extended Product Type	FIRD2.5-39VDC
Product ID	7TCA301310R0065
EAN	5415022417470
Catalog Description	VINYL-INDCFULL 1.5-2.5 RECEPT 3.9MM
Long Description	Fully Vinyl-Insulated Bullet Disconnect, Double Crimp, Length 24.5mm, Width 3.9mm, Diameter 2.3mm, Wire Range 1.5-2.5mm ² , Brass, Tin Plated, 600V Max, Color Blue

Ordering

EAN	5415022417470
UPC	786210144610
Country of Origin	China (CN)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 piece
-----------------------	-----------

Package Level 1 Width	1 in 25 mm
Package Level 1 Height	4.72 in 120 mm
Package Level 1 Depth / Length	5.91 in 150 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	3.54 in 90 mm
Package Level 2 Height	7.08 in 180 mm
Package Level 2 Depth / Length	5.9 in 150 mm
Package Level 3 Units	10000 piece
Package Level 3 Width	12.6 in 320 mm
Package Level 3 Height	18.9 in 480 mm
Package Level 3 Depth / Length	7.87 in 200 mm

Additional Information

Brand / Label	Spec-Kon
Color	Blue
Effective Date	20170214
Insulation Material	Vinyl
Material	Brass
Product Name	OTHER SWITCHES
Product Type	Fully Vinyl-Insulated Bullet Disconnect
Standards	IEC 60352-2
Surface Finishing	Tin Plated
Voltage Rating	600 V
Wire Size	1.5-2.5 mm ²

Certificates and Declarations

Data Sheet, Technical Information	FIRD2.5-39VDC
-----------------------------------	---------------

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
ETIM 8	EC000516 - Round or flat plug/receptacle
ETIM 9	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

