AC172-S 1/3



PRODUCT-DETAILS

AC172-S

1G 2W switch w/LED, 20AX Two-way switch with LED not exchangeable Silver - Concept BS



General Information	
Extended Product Type	AC172-S
Product ID	CBA031A103S2010
EAN	6940342206255
Catalog Description	1G 2W switch w/LED, 20AX Two-way switch with LED not exchangeable Silver - Concept BS
Long Description	Switches, AC172-S ,1G 2W switch w/LED, 20AX
Installation Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Screw
 Environmental	
Degree of Protection	IP20

AC172-S 2/3

Technical	
Data Sheet, Technical Information	No document needec
Function	Function lighting: Illuminated (on)
Number of Rocker Switches	1
Wiring Configuration	Two-way switch
Actuator Type	Rocker/button
Connection Type	Screw
Lamp Type	LED not exchangeable
Illumination	Illuminated
Electi ioni	
	250 V
Electrical Rated Voltage (Ur) Rated Current (In)	
Rated Voltage (U _r)	250 V 20 A Fluorescent Lamps 20
Rated Voltage (U _r) Rated Current (I _n) Maximum Switching	20 A
Rated Voltage (U _r) Rated Current (I _n) Maximum Switching Current Design	20 A
Rated Voltage (Ur) Rated Current (In) Maximum Switching Current Design Design Range	20 A Fluorescent Lamps 20
Rated Voltage (Ur) Rated Current (In) Maximum Switching Current	20 A Fluorescent Lamps 20 Concept BS Decor

Dimensions	
Product Net Width	90 mm
Product Net Height	28 mm
Product Net Depth / Length	88 mm
Product Net Weight	77 g

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template	9AKK108468A3363
(CMRT)	

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Color

Silver

AC172-S 3/3

Classifications	
ETIM 9	EC001590 - Installation switch
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Mechanical\ Controls$

